PALMA

Design by Antoni Arola.



×

Reference

3700.

Application Wall Lamps

Installation type Surface

ounacc

Description

Vibia presents an individual wall lamp. Its timeless sphere of light evolves towards the organic. Slightly flattened like the shape of the Earth, it gives off a warm and adjustable light.

Diffuser

Blow-glass diffuser

Materials


Profile: Aluminum Diffuser: Blown-glass

Finish

3700-18 Graphite (ADAPTA RF 9913 WX)

3700-93 White (RAL 9016)

Sketch



Electrical characteristics

2 x LED 4,6W 500mA

A⁺

Light source: 2700K CRI >90 Fixture: 685.86 lm 74.55 lm/W Driver included: CC - Constant Current 500 mA 230V 50/60Hz

Electronic dimming 1-10V PUSH

Physical characteristics

1 Box / 0.00 x 0.00 x 0.00 m. / Vol. 0.0400 m³ / Gross weight 1.1 kg. / Net weight 2.1 kg.

Installation and assembly Please, see the installation manual

Light distribution General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data

Efficiency : 1 Coordinate system : CG Total flux : 576.81 lm Maximum value : 107.81 cd/klm Light position : C=270.00 G=5.00 Symmetry on the planes : Symmetrical planes 270-90

Isolux : Isolux (Floor) Light position : X=0.00ft Y=0.00ft Z=8.20ft

Total 9.2 W



