


NEMO

ARA FLOOR

Floor lamp, with fluorescent, LED and halogen sources depending on the version. It is composed by two elements in extruded aluminium: depending on versions, body is painted in white, anthracite, champagne and moka, while the main body can be brushed or painted in white or anthracite. The LED or halogen uplight source is integrated in the body and it creates a widespread light, while a fluorescent or LED source is integrated in the main body for a widespread and adjustable light. Double switch dimmer on the cable.



NEMO

ARA FLOOR

HALO+FLUO

Lamping

| | |
|--------------------|------------------------------------|
| Source | R7s QT-DE (114mm) + G5 T16 (FH-HO) |
| Total power | 300W + 80W |
| Emission | up and vertical, indirect |
| Switching | double |
| Tension | 230V |
| Materials | aluminium + PMMA |


Codes

ARA KDL 2A
ARA KWL 2A
ARA KWW 2A
ARA KXX 2A
ARA KXL 2A
ARA KML 2A

Structure



Diffuseur



NEMO

ARA FLOOR

MK3 HALO+FLUO

Lamping

| | |
|--------------------|------------------------------------|
| Source | R7s QT-DE (114mm) + G5 T16 (FH-HO) |
| Total power | 300W + 80W |
| Emission | up and vertical, indirect |
| Switching | double, dimmable |
| Tension | 230V |
| Materials | aluminium + PMMA |

Codes

ARA KXX 2B
ARA KWL 2B
ARA KDL 2B
ARA KXL 2B
ARA KML 2B
ARA KWW 2B


Structure

anthracite



Diffuseur

anthracite




NEMO

ARA FLOOR

MK3 LED+LED

Lamping

| | |
|-------------------|---------------------------|
| Source | LED board + LED strip |
| Total power | 24W + 40W |
| Emission | up and vertical, indirect |
| Switching | double, dimmable |
| Tension | 230V |
| Color temperature | 2700Å°K |
| Luminous flux | 2400lm + 5200lm |
| Typ cri | 83 |
| Energy class | A+ |
| Materials | aluminium + PMMA |
| Typ cri | 83 |



Codes

ARA TWW 2B
ARA TWL 2B
ARA TXL 2B
ARA TDL 2B
ARA TXX 2B
ARA TXL 2B
ARA TML 2B

Structure



Diffuseur

