

TECHNICAL SHEET

1907-10 FLOOR

Mounting: Floor Lamp
Environment: Indoor - IP20
Materials: Metallo / Metal
Voltage: 100-240V 50/60Hz
Source: LED 14W - CRI=90
Color Temperature: 3000K / 2700K
Lumen: 1180lm
Lighting Control: dimmer on cable



1907-20 SUSPENSION

Mounting: Suspension
Environment: Indoor - IP20
Materials: Metallo/Metal
Input Current: 700mA
Source: LED 14W - CRI=90
Color Temperature: 3000K / 2700K
Lumen: 1180lm
Cable RAL: 9005




Rosoni / Canopies

1907-90 CANOPY TYPE C

Mounting: a soffitto / ceiling
Environment: Indoor - IP20
Materials: Metallo / Metal
Voltage: 220-240V 50/60Hz
Lighting Control: Dimmable 0-10V




1907-10



L212 x Ø40 x H226

1907-20+1907-90



Finiture / Finishes

Struttura / Structure



Metallo nero opaco
Matt black metal

Rosoni / Canopies



Metallo nero opaco
Matt black metal



Metallo oro opaco
Matt gold metal

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1907-10-1111-DXNE	floor lamp	nero opaco / matt black		dimmer on cable / 3000K
1907-10-1111-DXWE	floor lamp	nero opaco / matt black		dimmer on cable / 2700K
1907-20-1111-D2NE	suspension	nero opaco / matt black		3000K
1907-20-1111-D2WE	suspension	nero opaco / matt black		2700K
1907-90-1100-DXLE	canopy type C	nero opaco / matt black		dimnable 0-10V
1907-90-0600-DXLE	canopy type C	oro opaco / matt gold		dimnable 0-10V