

## TECHNICAL SHEET

### 1907-10 FLOOR

Mounting: Floor Lamp  
Environment: Indoor - IP20  
Materials: Metallo / Metal  
Voltage: 100-240V 50/60Hz  
Source: LED 14W - CRI=90  
Color Temperature: 3000K / 2700K  
Lumen: 1180lm  
Lighting Control: dimmer on cable



### 1907-20 SUSPENSION

Mounting: Suspension  
Environment: Indoor - IP20  
Materials: Metallo/Metal  
Input Current: 700mA  
Source: LED 14W - CRI=90  
Color Temperature: 3000K / 2700K  
Lumen: 1180lm  
Cable RAL: 9005




### Rosoni / Canopies

#### 1907-90 CANOPY TYPE C

Mounting: a soffitto / ceiling  
Environment: Indoor - IP20  
Materials: Metallo / Metal  
Voltage: 220-240V 50/60Hz  
Lighting Control: Dimmable 0-10V




1907-10



L212 x Ø40 x H226

1907-20+1907-90



## Finiture / Finishes

---

### Struttura / Structure



Metallo nero opaco  
Matt black metal

### Rosoni / Canopies



Metallo nero opaco  
Matt black metal



Metallo oro opaco  
Matt gold metal

## CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1907-10-1111-DXNE	floor lamp	nero opaco / matt black		dimmer on cable / 3000K
1907-10-1111-DXWE	floor lamp	nero opaco / matt black		dimmer on cable / 2700K
1907-20-1111-D2NE	suspension	nero opaco / matt black		3000K
1907-20-1111-D2WE	suspension	nero opaco / matt black		2700K
1907-90-1100-DXLE	canopy type C	nero opaco / matt black		dimnable 0-10V
1907-90-0600-DXLE	canopy type C	oro opaco / matt gold		dimnable 0-10V