




The sizes are expressed in millimeters.



DESIGN OMAR CARRAGLIA - 2015
LAMPADA A SOSPENSIONE - METALLO - VETRO SOFFIATO
SUSPENSION LAMP - METAL - BLOWN GLASS

CATHODE 1


 ENDLESS SYSTEM VERSION AVAILABLE

CE IP20

CEILING ROSE



1A2980300.27.00	BIANCO OPACO / MATT WHITE - 2700K - ON/OFF	100-240 V - 50/60 Hz - 5,6 W LED 2700K - 286 lm - CRI > 90 / 3000K - 286 lm - CRI > 90
1A2980300.30.00	BIANCO OPACO / MATT WHITE - 3000K - ON/OFF	CAVO BIANCO - ROSONE BIANCO ACCESSORI OPZIONALI KIT SOSPENSIONE NON INCLUSI WHITE CABLE - WHITE CEILING ROSE OPTIONAL ACCESSORIES SUSPENSION KIT NOT INCLUDED
1A2980800.27.00	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - ON/OFF	100-240 V - 50/60 Hz - 5,6 W LED 2700K - 286 lm - CRI > 90 / 3000K - 286 lm - CRI > 90
1A2980800.30.00	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - ON/OFF	CAVO NERO - ROSONE NERO ACCESSORI OPZIONALI KIT SOSPENSIONE NON INCLUSI BLACK CABLE - BLACK CEILING ROSE OPTIONAL ACCESSORIES SUSPENSION KIT NOT INCLUDED



DIMMABLE VERSIONS


1A2980300.27.01	BIANCO OPACO / MATT WHITE - 2700K - DALI	100-240 V - 50/60 Hz - 5,6 W LED 2700K - 286 lm - CRI > 90 / 3000K - 286 lm - CRI > 90 CAVO BIANCO - ROSONE BIANCO - DIMMERABILE ACCESSORI OPZIONALI KIT SOSPENSIONE NON INCLUSI WHITE CABLE - WHITE CEILING ROSE - DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT NOT INCLUDED	
1A2980300.30.01	BIANCO OPACO / MATT WHITE - 3000K - DALI		
1A2980300.27.02	BIANCO OPACO / MATT WHITE - 2700K - TRIAC		
1A2980300.30.02	BIANCO OPACO / MATT WHITE - 3000K - TRIAC		
1A2980300.27.03	BIANCO OPACO / MATT WHITE - 2700K - 1-10 V		
1A2980300.30.03	BIANCO OPACO / MATT WHITE - 3000K - 1-10 V		
1A2980300.27.04	BIANCO OPACO / MATT WHITE - 2700K - PUSH		
1A2980300.30.04	BIANCO OPACO / MATT WHITE - 3000K - PUSH		
1A2980800.27.01	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - DALI		100-240 V - 50/60 Hz - 5,6 W LED 2700K - 286 lm - CRI > 90 / 3000K - 286 lm - CRI > 90 CAVO NERO - ROSONE NERO - DIMMERABILE ACCESSORI OPZIONALI KIT SOSPENSIONE NON INCLUSI BLACK CABLE - BLACK CEILING ROSE - DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT NOT INCLUDED
1A2980800.30.01	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - DALI		
1A2980800.27.02	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - TRIAC		
1A2980800.30.02	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - TRIAC		
1A2980800.27.03	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - 1-10 V		
1A2980800.30.03	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - 1-10 V		
1A2980800.27.04	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - PUSH		
1A2980800.30.04	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - PUSH		

CE IP20

CATHODE 1









CEILING ROSE




1A2990300.27.00	BIANCO OPACO / MATT WHITE - 2700K - ON/OFF	MAX 350 mA DC - 4 W LED 2700K - 286 lm - CRI > 90 / 3000K - 286 lm - CRI > 90
1A2990300.30.00	BIANCO OPACO / MATT WHITE - 3000K - ON/OFF	CAVO BIANCO - ROSONE BIANCO INSTALLAZIONE SU CARTONGESSO CON ROSONE PIANO E FISSAGGIO MAGNETICO KIT INSTALLAZIONE OBBLIGATORIO INCLUSO DIMENSIONI TAGLIO CARTONGESSO 85 x 97 mm - SPAZIO MINIMO PER INCASSO 120 mm DRIVER INDIPENDENTE INCLUSO INPUT 100-240 V - 50/60 Hz WHITE CABLE - WHITE CEILING ROSE INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED PLASTERBOARD CUT-OUT 85 x 97 mm - MINIMUM SPACE FOR MOUNTING 120 mm INCLUDES INDEPENDENT DRIVER INPUT 100-240 V - 50/60 Hz
1A2990800.27.00	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - ON/OFF	MAX 350 mA DC - 4 W LED 2700K - 286 lm - CRI > 90 / 3000K - 286 lm - CRI > 90
1A2990800.30.00	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - ON/OFF	CAVO NERO - ROSONE NERO INSTALLAZIONE SU CARTONGESSO CON ROSONE PIANO E FISSAGGIO MAGNETICO KIT INSTALLAZIONE OBBLIGATORIO INCLUSO DIMENSIONI TAGLIO CARTONGESSO 85 x 97 mm - SPAZIO MINIMO PER INCASSO 120 mm DRIVER INDIPENDENTE INCLUSO INPUT 100-240 V - 50/60 Hz BLACK CABLE - BLACK CEILING ROSE INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED PLASTERBOARD CUT-OUT 85 x 97 mm - MINIMUM SPACE FOR MOUNTING 120 mm INCLUDES INDEPENDENT DRIVER INPUT 100-240 V - 50/60 Hz




ACCESSORI OPZIONALI / OPTIONAL ACCESSORIES

1A0510000.00.00	STANDARD	KIT FISSAGGIO PER SOFFITTO INCLINATO - NICHELATO 1 PEZZO SLOPED CEILING FIXING KIT - NICKEL PLATED - 1 PIECE	
		COMPATIBLE LAMPS: QuiQuoQua - MASAI - FOSBURY - MOON 120 - SPY - SPY DE	
1A0520000.00.00	STANDARD	KIT FISSAGGIO PER ROSONE INCLINATO - NICHELATO 1 PEZZO SLOPED ROSE FIXING KIT - NICKEL PLATED - 1 PIECE	
		COMPATIBLE LAMPS: MOON 60 - MOON 60 DE - MOON 80	
1A0530000.00.00	STANDARD	GANCIO PER SOFFITTO INCLINATO - CROMATO 1 PEZZO SLOPED CEILING FIXING HOOK - CHROME PLATED - 1 PIECE	
		COMPATIBLE LAMPS: MERIDIANA - SIMBIOSI - SHANGHAI	
1A0360000.00.00	STANDARD	KIT DECENTRATORE / DECENTRALIZATION KIT	
		COMPATIBLE LAMPS: LED IS MORE - MISS 1 - MOON 60 - MOON 60 DE MOON 80 - MOON 120 - CATHODE 1	
1A0770300.00.00	BIANCO OPACO / MATT WHITE	KIT ROSONE + DECENTRATORE KIT CEILING ROSE + DECENTRALIZER CAVO BIANCO 3 m INCLUSO 3 m WHITE CABLE INCLUDED	
1A0770400.00.00	NERO OPACO / MATT BLACK	KIT ROSONE + DECENTRATORE KIT CEILING ROSE + DECENTRALIZER CAVO NERO 3 m INCLUSO 3 m BLACK CABLE INCLUDED	
1A3270300.00.00	BIANCO OPACO / MATT WHITE	BLOCCACAVO - 1 PEZZO CLAMP - 1 PIECE	
1A3270400.00.00	NERO OPACO / MATT BLACK		


1A051000.00.00 - KIT FISSAGGIO PER SOFFITTO INCLINATO / SLOPED CEILING FIXING KIT



1A052000.00.00 - KIT FISSAGGIO PER ROSONE INCLINATO / SLOPED ROSE FIXING KIT



1A053000.00.00 - GANCIO PER SOFFITTO INCLINATO / SLOPED CEILING FIXING HOOK



1A0770300.00.00 / 1A0770400.00.00 - KIT ROSONE + DECENTRATORE / KIT CEILING ROSE + DECENTRALIZER | 1A0360000.00.00 KIT DECENTRATORE / DECENTRALIZATION KIT

