




The sizes are expressed in millimeters.

DESIGN DAVIDE GROPPI - BEPPE MERLANO - 2013
LAMPADA A SOSPENSIONE - METALLO
SUSPENSION LAMP - METAL



NEURO

CE IP20

CLAMP



CEILING ROSE




1A0160300.00.00	BIANCO OPACO / MATT WHITE - ON/OFF	100-240 V - 50/60 Hz - MAX 15 W LED - E27 CAVO BIANCO 10 m - ALIMENTAZIONE CON SPINA 5 BLOCCACAVO INCLUSI - LAMPADINA NON INCLUSA WHITE CABLE 10 m - POWER SUPPLY WITH PLUG 5 CLAMPS INCLUDED - BULB NOT INCLUDED
1A0160400.00.00	NERO OPACO / MATT BLACK - ON/OFF	100-240 V - 50/60 Hz - MAX 15 W LED - E27 CAVO NERO 10 m - ALIMENTAZIONE CON SPINA 5 BLOCCACAVO INCLUSI - LAMPADINA NON INCLUSA BLACK CABLE 10 m - POWER SUPPLY WITH PLUG 5 CLAMPS INCLUDED - BULB NOT INCLUDED

ACCESSORI OPZIONALI / OPTIONAL ACCESSORIES


1A3440300.00.00	BIANCO OPACO / MATT WHITE	ROSONE DA PARETE E SOFFITTO / WALL AND CEILING ROSE
1A3440400.00.00	NERO OPACO / MATT BLACK	
1A3270300.00.00	BIANCO OPACO / MATT WHITE	BLOCCACAVO / CLAMP
1A3270400.00.00	NERO OPACO / MATT BLACK	



INSTALLAZIONE CON ROSONE DA PARETE E SOFFITTO / WALL AND CEILING ROSE INSTALLATION










INSTALLAZIONE CON SPINA / POWER SUPPLY WITH PLUG INSTALLATION



CODE	SOCKET	TENSION	WATTAGE	BEAM ANGLE (°)	TEMPERATURE (K)	SOURCE LUMENS	BULB EFFICIENCY	CRI (Ra)	DIMMABLE	PRODUCT REFERENCE
------	--------	---------	---------	----------------	-----------------	---------------	-----------------	----------	----------	-------------------

LAMPADINE LED / LED BULBS

	50330500	GU10	220-240 V	5,5 W	25°	3000K	375 lm	G	97	X	DOT P 51 DOT P DE 51 DOT PL 51 DOT R 51 DOT SISTEMA 51 MINI 51 MINI BIT 51 MINI PL 51 MOON 60 DE TRICK TRACK
	50330740	GU10	220-240 V	4,9 W	120°	3000K	550 lm	E	80	-	Q
	50330450	GU4	12 V	20 W	24°	2700K	200 lm	G	80	-	OVO OVONELPIATTO
	50330530	GU5,3	12 V	6,7 W	36°	3000K	440 lm	G	97	X	BUCO R
	50041410	E14	220-240 V	4,5 W	-	2700K	470 lm	F	>80	X	PALPEBRA
	52080010	E27	220-240 V	7 W	360°	2700K	806 lm	E	80	X	ABA 45 ABA 120 EDI SON
	50330650	E27	220-240 V	13 W	200°	2700K	1521 lm	E	80	-	LENTA MOON 60 MOON 60 DE MOON 80 MOON 200 MOON T SHOJI SHOJI OUTDOOR
	50041470	E27	220-240 V	21 W	200°	2700K	2452 lm	E	>80	X	MOON 120
	50330730	E27	220-240 V	9,5 W	25°	3000K	760 lm	F	80	X	CHILLOUT NEURO