

Date _____

Name _____

Client _____



Project name _____

Quote# _____

Type/Quantity _____

BOXY 2 L 92733 DIM8
10727 9228

[Weblink](#)



Beschikbare Heuren: ALU GRIJS-ALU GRIJS (10727 9228 A-A)
 ZWART-ZWART (10727 9228 B-B)
 ZWART-GOUD MAT (10727 9228 B-MMAT)
 WIT-WIT (10727 9228 W-W)
 ZWART-FLEMISH GOLD (10727 9228 B-FG)
 ZWART-FLEMISH BRONZE (10727 9228 B-FBR)

NONADJUSTABLE
 INCL.2 x LED 7,1W / CRI>90 / 2700K / 743lm
 INCL.2 x REFLECTOR FL-33°
 INCL.DIMMABLE POWER SUPPLY 350mA-DC
 MAINS DIMMING - TRAILING EDGE
 >> B-MMAT only interior use - other colours also exterior use
 Other CRI or KELVIN on request

LED Technics: Lichtbron: 1486 lm // 14 W // 111 lm/W
 Luminaire: 1185 lm // 16 W // 73 lm/W

220-240V / 50-60Hz

Klasse: II

Gewicht: 0.8 KG
 Protection level: IP20
 Minimumafstand: n.v.t.

Accessoires: BOXY HONEYCOMB
 BOXY SOFTENING LENS
 BOXY GLASS SBL


Voor gedetailleerde installatie-instructies, raadpleeg de handleiding. [10727_XXXX_HAND.pdf](#)

BOXY 2 L 92733 DIM8
10727 9228

Related references

VOORSCHAKELAPPARATUUR EN TRANSFORMATOREN

[Weblink / Specificatieblad](#)



WIRELESS CONTROL DIM8
300 90 004 ED8
100-240V / 50-60Hz

Related references


LIGHT VERANDERENDE ONDERDELEN

[Weblink / Specificatieblad](#)




BOXY GLASS SBL
251 70 03 05

[Weblink / Specificatieblad](#)



BOXY HONEYCOMB
251 70 03 01

[Weblink / Specificatieblad](#)



BOXY SOFTENING LENS
251 70 03 04

BOXY 2 L 92733 DIM8
10727 9228

Gerelateerde project foto van product familie:

