

Gravity Chandelier

PAUL COCKSEGE




The Gravity Chandelier by Paul Cocksedg re-imagines the chandeliers of the past. Inspired by changing rigidity to elasticity. The Gravity Chandelier is the definition of a modern chandelier. At first glance, it doesn't reveal its flexibility and cleverness; It takes a second look to unravel its mystery. With its flexible arms, you define the chandelier's diameter and choose where the light travels, but the suspended elements create natural curves shaped by gravity. The Gravity Chandelier comes in two sizes, after the number of arms, Gravity Chandelier 5 and Gravity Chandelier 7.

Detailing



The Gravity Chandelier lets you choose its diameter and where the light travels.


Colours



Black

Gravity Chandelier / 5

Dimensions



Product

WIDTH 127cm | 50"
HEIGHT 90cm | 35.4"
DEPTH 127cm | 50"
DIAMETER 127cm | 50"
WEIGHT NETTO 6kg | 13.23lbs

Packaging

WIDTH 67.5cm | 26.6"
HEIGHT 45.5cm | 17.9"
CUBAGE 0.21m³ | 7.32ft³
LENGTH 67.5cm | 26.6"
WEIGHT 10kg | 22.05lbs

Technical CE / cULus

MATERIAL

Faceted glass with powder coated steel light unit, ultra-thin suspension wire and braided flat cable

ENERGY LABEL

Energy Label A

INSTALLATION REQUIRED

Yes

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

5

INPUT VOLTAGE

120-250

FREQUENCY

50/60

MAX POWER CONSUMPTION

18W

DIMMABLE

Yes

LAMPHOLDER

LED (Solid state)

LIFETIME

50000 hours

CABLE COLOUR

Black

CANOPY

Matching steel cylinder

CHROM X

0.46

CHROM Y

0.4

COLOUR TEMPERATURE

2614 K

CRI

89

LIGHT DIRECTION

All directions

LIGHT OUTPUT

1025 lm

EEI

0.23


EFFICIENCY

56.94 lm/W



Gravity Chandelier / 7

Dimensions



Product

WIDTH 127cm | 50"
HEIGHT 90cm | 35.4"
DEPTH 127cm | 50"
DIAMETER 127cm | 50"
WEIGHT NETTO 7kg | 15.43lbs

Packaging

WIDTH 67.5cm | 26.6"
HEIGHT 45.5cm | 17.9"
CUBAGE 0.21m³ | 7.32ft³
LENGTH 67.5cm | 26.6"
WEIGHT 12kg | 26.46lbs

Technical CE / cULus

MATERIAL

Faceted glass with powder coated steel light unit, ultra-thin suspension wire and braided flat cable

ENERGY LABEL

Energy Label A

INSTALLATION REQUIRED

Yes

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

7

INPUT VOLTAGE

120-250

FREQUENCY

50/60

MAX POWER CONSUMPTION

25W

DIMMABLE

Yes

LAMPHOLDER

LED (Solid state)

LIFETIME

50000 hours

CABLE COLOUR

Black

CANOPY

Matching steel cylinder

CHROM X

0.46

CHROM Y

0.4

COLOUR TEMPERATURE

2614 K

CRI

89

LIGHT DIRECTION

All directions

LIGHT OUTPUT

1434 lm

EEl

0.24

EFFICIENCY

57.36 lm/W



Dimmer

Dims to dark using DALI DT6 and Push dimming.
Supported via accessories: Casambi, 0-10V and Zigbee 3.0 to integrate with Philips Hue, Apple HomeKit, Google Home or Amazon Alexa.

DIMMER TYPE

Dali, Push and Smart Dimming

Please contact our sales department for more information.
